

THOMSON
DELPHION™

RESEARCH

PRODUCTS

INSIDE DELPHION

[Home](#) | [About Delphion](#) | [Contact Us](#) | [My Account](#) | [Products](#)
[Search: Quick/Number](#) | [Boolean](#) | [Advanced](#) | [Derwent](#)

The Delphion Integrated View

Buy Now: ☒ PDF | [More choices...](#)
Tools: [Add to Work File:](#) [Create new Work File](#)
View: [Expand Details](#) | [INPADOC](#) | **Jump to:** [Top](#)
☒ [Email](#)

🔍 **Title:** **WO02099217A1: BOARD BASED ON A BINDER, SUCH AS GYPSUM F
CEMENT OR THE LIKE, AND USE THEREOF**[\[French\]](#)

🔍 **Country:** **WO** World Intellectual Property Organization (WIPO)

🔍 **Kind:** **A1** Publ. of the Int. Appl. with Int. search report ¹

🔍 **Inventor:** **DERUSCO, Christian**; 16, rue Duke Ellington, F-78260 Acheres, France
BOUSCAL, Patrice; 11, rue Chevreul, F-94100 Saint Maur Des Fosses, France
CHANTEREAU, Frédéric; 8, avenue Dubonnet, F-92400 Courbevoie, France

🔍 **Assignee:** **BPB PLC**, Park House, 15 Bath Road, Slough SL1 3UF, United Kingdom

[News, Profiles, Stocks and More about this company](#)

🔍 **Published / Filed:** **2002-12-12 / 2002-06-06**

🔍 **Application** **WO2002FR0001929**

Number:

🔍 **IPC Code:** **E04C 2/04**;

🔍 **ECLA Code:** **E04C2/04C**;

🔍 **Priority Number:** 2001-06-07 **FR2001000007463**

🔍 **Abstract:** The invention concerns a board based on a binder, such as gypsum plaster, cement or the like, bearing on each of its surfaces a facing, a so-called lower facing and a so-called upper facing, each facing consisting of a grid (G1, G2) associated with a web (V, VB) and the upper facing being laterally lined, along the edges of the lateral sides of the board, by a strip of grid and web. The invention also concerns the use of such a board, wherein the binder is a cementitious binder, to form or cover walls, partitions, floors or roofs, inside or outside buildings, such as industrial kitchens, agri-food laboratories, showers, bathrooms, ponds or pools, and/or halls frequently washed with water jet, such as halls of agricultural buildings or of industrial slaughterhouses. The invention further concerns the use of such a board, wherein the binder is based on gypsum plaster, for forming or covering walls, partitions or the like.
[\[French\]](#)


🔍 **Attorney, Agent or Firm:** **CABINET BONNET-THIRION** ; 12, avenue de la Grande Armée, Boîte postale 966, F-75829 Paris Cedex 17 France

🔍 **INPADOC** [Show legal status actions](#)

Buy Now: [Family Legal Status Report](#)

Legal Status:

🔍 **Designated Country:** AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW



MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR
 TT TZ UA UG US UZ VN YU ZA ZM ZW, **European patent:** AT BE CH
 CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR, **OAPI patent:**
 BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG,
ARIPO patent: GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW,
Eurasian patent: AM AZ BY KG KZ MD RU TJ TM

⌘ Family: [Show 3 known family members](#)

⌘ Description: [Expand full description](#)

±

⌘ First Claim: [Show all claims](#) 1.- Plaque à base de liant, tel que plâtre ou ciment, portant sur chacune de ses faces un parement, un parement dit inférieur et un parement dit supérieur, caractérisée par le fait que chaque parement est constitué d'une grille (G1, G2) associée à un voile (V7 VB) et le parement supérieur est doublé latéralement, le long des bords latéraux parallèles de la plaque, par une bande de grille et de voile. 2 - Plaque selon la revendication 1, caractérisée par le fait que le parement supérieur recouvre la bande de grille et de voile. 3 - Plaque selon la revendication 1, caractérisée par le fait que la bande de grille et de voile recouvre le parement supérieur. 4 - Plaque selon l'une des revendications 1 à 3, caractérisée par le fait que les grilles (G1, G2) sont en fibres de verre. 5 - Plaque selon l'une des revendications 1 à 4, caractérisée par le fait 5 que le voile (V) recouvre la grille (G1 G2) sur toute sa largeur. 6- Plaque selon l'une des revendications 1 à 4, caractérisée par le fait que le voile est lui-même en forme de bande (VB) et ne recouvre que les bords latéraux de la grille (G2). 7 - Plaque selon l'une des revendications 1 à 6, caractérisée par le fait que le voile (V, VB) est un mat, de préférence en fibres de verre. 8- Plaque selon l'une des revendications 1 à 7, caractérisée par le fait que les bords latéraux sont droits. 9- Plaque selon l'une des revendications 1 à 7, caractérisée par le fait que les bords latéraux sont recouverts par le parement inférieur. 10 - Plaque selon l'une des revendications 1 à 7, caractérisée par le fait que les bords latéraux sont recouverts à la fois par le parement inférieur et partiellement par le parement supérieur. 11 - Plaque selon l'une des revendications 1 à 10, caractérisée par le fait que ses bords latéraux (44) parallèles sont légèrement amincis. 12 - Utilisation de la plaque selon l'une des revendications 1 à 11, dans laquelle le liant est un liant cimentaire, pour former ou recouvrir des murs, parois, planchers ou toitures, à l'intérieur ou à l'extérieur de bâtiments, tels que des cuisines industrielles, des laboratoires agro-alimentaires, des douches, des salles de bains, des bassins ou des piscines, et/ou des salles fréquemment lavées au jet d'eau, telles que salles de bâtiments agricoles ou de boucheries industrielles, 13 - Utilisation de la plaque selon l'une des revendications 1 à 11, dans laquelle le liant est à base de plâtre, pour former ou recouvrir des murs ou parois. †

⌘ Other Abstract Info: None



[Nominate](#)



[this for the Gallery...](#)

† Copyright © Univentio 2001-2003.

